Sign in

Google

Web Images Video News Maps more » Advanced Search jail kernel IPC create communication object ide Search **Preferences**

Web Results 1 - 10 of about 31,700 for jail kernel IPC create communication object identifier. (0.37 seconds)

Did you mean: jail kernel IPCcreate communication object identifier

EP1475707 Sun european software patent - Method and apparatus for ... In other words, once the process creating the Jail (and its progeny, ... In block 338, a communications object identifier and a unique zone identifier of ... gauss.ffii.org/PatentView/EP1475707 - 103k - Cached - Similar pages

EP1475703 Sun european software patent - Method and apparatus for ... In other words, once the process creating the Jail (and its progeny, ... process table from an operating system kernel selected based upon the identifier is ... gauss.ffii.org/PatentView/EP1475703 - 93k - Cached - Similar pages

Method and apparatus for interprocess communications - Patent ... The method of claim 3, wherein the communications object identifier comprises at ... In other words, once the process creating the Jail (and its progeny, ... www.freepatentsonline.com/EP1475707.html - 94k - Cached - Similar pages

An Introduction to Virtualization

When the same kernel runs on a virtual machine, this behavior is undesirable, ... The FreeBSD "jail" mechanism allows you to create an isolated existing ... www.kernelthread.com/publications/virtualization/ - 71k - Cached - Similar pages

PDF Proceedings of the Linux Symposium Volume One

File Format: PDF/Adobe Acrobat - View as HTML

than the additional kernel state needed to track, a jail, ... ownership and removing any ipc object. Allowing for multiple instances of the ipc ... https://ols2006.108.redhat.com/reprints/biederman-reprint.pdf - Similar pages

[PDF] Security in a mobile agent system - Multi-Agent Security and ...

File Format: PDF/Adobe Acrobat

An agent only sees an object's entity-identifier. (EntityID), an index relative to the room, ... agent is shipped to another AOS kernel. Prior to send-... ieeexplore ieee org/iel5/9437/29953/01368416.pdf?arnumber=1368416 - Similar pages

IPDFI Automated and Safe Vulnerability Assessment

File Format: PDF/Adobe Acrobat - View as HTML

process communication (IPC) mechanisms to share data or. facilitate process synchronization. ... cessing a named kernel object, another instance of the same ... www.acsa-admin.org/2005/papers/180.pdf - Similar pages

PERFORCE change 34992 for review

The kernel section is doing quite well (VFS and networking need work); ... and intentional communication + channels (such as files, IPC primitives, etc). ... lists.freebsd.org/pipermail/trustedbsd-cvs/2003-July/001329.html - 53k -Cached - Similar pages

Fultus Technical Documentation and Professional Literature eLibrary Bulding and Installing a FreeBSD Kernel ... Firewall-1 Network Object Configuration ... Creating a Software Testing Environment Using FreeBSD ... elibrary.fultus.com/technical/ - 977k - Cached - Similar pages

A PicoBSD kernel walk

Routine sendsig() is used by the **kernel** to **create** the new signal context and ... The **jail** syscall allocates a struct prison and attaches it to the PCB via ... 63.249.85.132/kern_code_walk.htm - 265k - <u>Cached</u> - <u>Similar pages</u>

Did you mean to search for: jail kernel IPCcreate communication object identifier

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

Download Google Pack: free essential software for your PC

jail kernel IPC create communication Search

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google